



Interbody Solutions

Trell**⊗**ss⁼-TS

Porous Ti Interbody System



Porous Ti Interbody System

A 3D printed titanium interbody platform featuring a scaffold structure with 70% porosity and a 7 micron roughened surface topography to foster a cellular relevant environment for adhesion and bone ingrowth.¹

TrellOss-TS Implant

- Rigid teeth help to resist implant migration
- Bullet-tip nose to aid in implant insertion
- Central window for graft packing and containment
- Implants are sterile-packed to reduce the risk of contamination and hospital reprocessing costs
- Inline and offset MIS insertion options

TrellOss-TS Sizes

HEIGHTS	DEPTH	LORDOSIS
7 mm-16 mm	22 mm	6° 0°
7 mm-16 mm	26 mm	6° 0°
7 mm-16 mm	30 mm	6° 0°



Porosity

Open architecture with 70% porosity including varying pore sizes of 300, 500, and 700 microns that mimic cancellous bone allowing for a conducive environment for cellular activity^{1,5,6,7}

Texture

7 micron surface texturing creates an environment for potential cellular adhesion^{2,3,4}

Structure

Scaffolding structure provides additional surface area^{2,3}

References

- 1. McGilvray KC, Easley J, Seim HB, et al. Bony ingrowth potential of 3D-printed porous titanium alloy: a direct comparison of interbody cage materials in an in vivo ovine lumbar fusion model. *Spine J* 2018:18(7):1250-1260.
- 2. Olivares-Navarrete R, Hyzy SL, Slosar PJ et al. Implant materials generate different peri-implant inflammatory factors: poly-ether-ether-ketone promotes fibrosis and microtextured titanium promotes osteogenic factors. Spine 2015;40(6):399-404.
- 3. Olivares-Navarrete R, Hyzy SL, Gittens RA, et al. Rough titanium alloys regulate osteoblast production of angiogenic factors. *Spine J* 2013;13(11):1563-70.
- 4. Rao PJ, Pelletier MH, Walsh WR, et al. Spine Interbody Implants: Material Selection and Modification, Functionalization and Bioactivation of Surfaces to Improve Osseointegration. *Orthop Surg* 2014;6:81-89.
- 5. Ponader S, von Wilmowsky C, Widenmayer M, et al. In vivo performance of selective electron beam-melted ti-6al-4v structures. *J Biomed Mater Res* A 2010;92A:56-62.
- 6. Li JP, Habibovic P, et al.: Bone ingrowth in porous titanium implants produced by 3D fiber deposition. Biomaterials 2007;28:2810.
- 7. Karageorgiou V, Kaplan D. Porosity of 3D biomaterial scaffolds and osteogenesis. *Biomaterials* 2005;26(27):5474-91.



Manufactured by: Nexxt Spine, LLC 14425 Bergen Blvd, Suite B Noblesville, IN 46060



800.447.3625/zimmerbiomet.com

©2019 Zimmer Biomet Spine, Inc. All rights reserved.

All content herein is protected by copyright, trademarks and other intellectual property rights, as applicable, owned by or licensed to Zimmer Biomet Spine, Inc. or its affiliates unless otherwise indicated, and must not be redistributed, duplicated or disclosed, in whole or in part, without the express written consent of Zimmer Biomet Spine. This material is intended for health care professionals, the Zimmer Biomet Spine sales force and authorized representatives. Distribution to any other recipient is prohibited.

For product information, including indications, contraindications, warnings, precautions, potential adverse effects and patient counseling information, see the package insert and www.zimmerbiomet.com. Check for country product clearances and reference product specific instructions for use. 2521.1-GLBL-en-REV0619